





-  **Raccoglitrici trainate C300T**
-  **Recogedoras arrastradas C300T**
-  **Trailed harvesters C300T**
-  **Récolteuses traînées C300T**

Scheda tecnica
 Ficha técnica
 Technical data sheet
 Fiche technique



FACMA S.r.L.
 Strada Piangoli s.n.c. 01030 Vitorchiano (VT) Italy
 Tel. +39 0761 370292 - +39 0761 370420
 Fax. +39 0761 370420
 E-mail: info@facma.it - www.facma.it - skype: info.facma



| Dati tecnici Technical data Données techniques Datos técnicos | Unità di misura Measure unit Unité de mesure Unidad de medida | CIMINA C300T | |
|---|--|---|---|
| Lunghezza Length Longueur Largueza | mm | 4.000 | |
| Altezza Height Hauteur Alteza | mm | 1.800 | |
| Larghezza Width Largeur Anchura | mm | 1.640 | |
| Peso Weight Poids Peso | Kg | 900 | |
| Potenza richiesta Potencia requerida Power requested Puissance Potencia | CV-HP/ Kw | 65 / 48 | |
| Capacità di lavoro Capacidad operativa Working capacity Capacité de travail | (Ha/h) | 0.25 / 0.30 | |
| P.d.f. T.d.f. P.T.O | | 540 | |
| Ciclone abbattimento polvere posteriore Posterior de-duster cyclone Ciclón de desempolvados posterior Cyclone dépoussiéreur postérieur | N°2 | 2 tubi in moplen azionati a mano 2 tubos manuales en polipropileno 2 moplen manual pipes 2 tuyaux manuels en moplen | N°2 x 140 mm Ø 8 – 25 mt |
| <u>IN DOTAZIONE - EN DOTACIÓN</u> <u>INCLUDED - EN DOTATION</u> | | <u>A RICHIESTA – EN PETICIÓN</u> <u>OPTIONAL – SUR DEMANDE</u> | |
| Tubi di raccolta Tubos de cosecha Harvesting pipes Tuyaux de récolte | 16 mt 140 mm Ø | Pistone di livellamento Pistón de nivelación Levelling piston Piston de nivellement | Kit prepulitore Kit pre-limpiador Pre- cleaning kit Kit de nivellement |
| Giunto cardanico Junto de cardán Universal joint Joint de cardan | | Smallatore Despellejador Husk remover Écaleur | Raccogliatore laterale idraulico RL160 Recogedor hidráulico lateral Hydraulic lateral harvester Ramasseur latéral hydraulique |
| N.2 Ciclone abbattimento polvere posteriore N.2 Posterior de-duster cyclone N.2Ciclón de desempolvados posterior N.2 Cyclone dépoussiéreur postérieur | | CRIVELLO ROTATIVO aggiuntivo per eventuali ulteriori prodotti ROTATING SIEVE for possible other products CRIBLE ROTATIF additionel pour d'autres produits CRIBA ROTATORIA para eventuales otros productos | |

**Capacità di raccolta (kg/h) Harvesting capacity (kg/h)
Capacité de récolte(kg/h) Capacidad de cosecha (kg/h)**

| | | | | | | | |
|-------------------------|---|---|---|---|---|--|--|
| CIMINA 300 T | Nocciole Hazelnuts Noisettes Avellanas (hp: 2 ton/ha) | Castagne Chestnuts Châtaignes Castañas (hp: 2 ton/ha) | Mandorle Almonds Amandes Almendras (hp: 2 ton/ha) | Noci Walnuts Noix Nueces (hp: 4 ton/ha) | Caffè Café Coffee Café (1.5 ton/ha) | Macadamia Macadamia Macadamia Macadamia (2 ton/ha) | Noce pecan Nues pecán Pecan nut Noix de pécan (2 ton/ha) |
| Kg/h | 600 | 600 | 700 | 800 | 500 | 500 | 500 |

La capacità di lavoro è subordinata alla preparazione del terreno e alla quantità di prodotto.
 The working capacity is subordinate to the ground preparation and to product quantity.
 La capacité de travail est subordonnée à la préparation du terrain et à la quantité du produit.
 La capacidad de trabajo está subordinada a la preparación del suelo y a la cantidad del producto.